USDA-NASS

OKLAHOMA

FIELD OFFICE

OKLAHOMA WHEAT ESTIMATING PROGRAM

APRIL 2010

The USDA's National Agricultural Statistics Service program for wheat includes a number of estimates that are made on a schedule spanning the entire crop year. The inclusion of any state in the national program is dependent on that state's portion of the national wheat crop. Oklahoma compiles estimates for acreage, yield, total production, prices, and planted variety for winter wheat. Crop progress and conditions are also tracked throughout the year and grain stock estimates are compiled quarterly for wheat.

The survey data used to estimate wheat come from a series of probability and non-probability surveys conducted throughout the year. A general description of a probability survey is one for which every farming operation has a known probability of being selected and when selected, represents a known number of similar operations throughout the state. Probability surveys produce not only indications for a particular category, but an estimated sampling error associated with each of those indications. Survey information is gathered voluntarily from wheat growers across the state of Oklahoma, except for the price data, which is collected from grain elevators. All individual data collected through any of these surveys are held in the strictest confidence and are used only in combination with other reports to generate state and county level estimates.

The crop year for wheat estimates begins in December when producers report the acres they planted in the fall. In May, the first harvested acreage forecast is set. Planted and harvested acreage is then reviewed using survey data collected in June, with the end-of-year estimates being published in late September.

Yield per acre estimates are based on both data reported by producers, as well as data collected from field observations. Monthly probability yield surveys, conducted from May through August, collect information from producers about their expected yields. Another monthly probability survey, Wheat Objective Yield, collects field observations for winter wheat. Small plots are laid out in about 180 randomly selected fields across the State. Counts are made and clippings are taken for analysis up through harvest. Gross yield per acre and post harvest loss are combined to determine an indication of net yield per acre.

Winter wheat crop progress and conditions are collected and published on a weekly basis throughout most of the year along with selected weather data. Stocks on hand are estimated four times a year for all wheat. Prices received by farmers are estimated monthly and are then used to derive a market-year average price. County level estimates for acreage, yield, and production are prepared in the Fall after the Annual Small Grains Summary. Data for the county estimates come from a combination of all the above-mentioned survey data, as well as a very large end-of-the-year acreage and production survey conducted in August after harvest.

Winter Wheat Crop Progress for Oklahoma, Percent of Activity Completed by Date[1]

Activity and Crop Year	September[2]				October[2]				November[2]				
	6	13	20	27	4	11	18	25	1	8	15	22	29
Planted	Percent				Percent				Percent				Percent
2005	7	21	34	47	66	78	81	89	92	93	94	95	100
2006	12	22	41	60	71	81	90	96	98	100	100	100	100
2007	9	19	33	51	64	76	85	92	95	98	100	100	100
2008	5	12	25	41	50	68	78	84	89	94	96	100	100
2009	n/a	11	20	44	59	75	82	86	91	96	99	100	100
2010	4	9	17	33	56	68	74	76	84	88	93	95	99

Activity and Crop Year	September[2]		October[2]				November[2]					Dec[2]
	20	27	4	11	18	25	1	8	15	22	29	6
Emerged	Percent		Percent				Percent					Percent
2005	8	18	36	49	68	76	82	89	92	93	94	n/a
2006	13	31	48	64	72	83	92	95	96	97	n/a	n/a
2007	8	22	34	47	64	74	80	85	90	92	n/a	n/a
2008	5	14	20	37	49	63	68	74	79	83	n/a	n/a
2009	n/a	14	28	49	64	74	79	87	92	96	n/a	n/a
2010	n/a	10	28	48	60	66	74	79	82	85	93	97

Activity and Crop Year	April			May				
	11	18	25	2	9	16	23	30
Headed	Percent			Percent				
2005	3	18	57	80	92	98	100	100
2006	9	42	78	89	97	99	100	100
2007	13	24	45	74	88	96	99	100
2008	n/a	2	11	37	75	88	97	99
2009	n/a	16	31	59	75	94	98	100
2010	n/a	6	39	61				

Activity and Crop Year	May	June				July				Aug	
	30	6	13	20	27	4	11	18	25	1	8
Harvested	Percent	Percent				Percent				Percent	
2005	4	7	39	62	90	98	100	100	100	100	100
2006	25	48	81	94	97	99	100	100	100	100	100
2007	n/a	3	25	41	52	59	69	76	83	87	99
2008	n/a	7	34	59	74	93	98	99	100	100	100
2009	n/a	n/a	9	22	63	89	98	100	100	100	100
2010											

[1] Available at www.nass.usda.gov on Monday at 3:00 pm CT every week, beginning the first week of March thru the last week of November, and the first week of the month during December, January, and February.
[2] September thru November is previous year's seeding for current year crop.

Winter Wheat Crop Condition, Crop Years 2006-2010

Week Ending	Crop Year	Very Poor	Poor	Fair	Good	Excellent	Week Ending	Crop Year	Very Poor	Poor	Fair	Good	Excellent
		Percent	*Percent*	*Percent*	*Percent*	*Percent*			*Percent*	*Percent*	*Percent*	*Percent*	*Percent*
Oct 25[1]	2006	2	7	35	51	5	May 2	2006	40	36	20	4	0
	2007	5	18	31	39	7		2007	2	6	22	51	19
	2008	7	11	39	39	4		2008	7	10	28	45	10
	2009	1	2	29	53	15		2009	30	34	27	9	0
	2010	1	2	26	55	16		2010	2	3	21	59	15
Nov 1[1]	2006	1	7	36	51	5	May 9	2006	41	33	22	4	0
	2007	12	17	30	33	8		2007	3	5	19	51	22
	2008	7	13	35	41	4		2008	7	11	30	44	8
	2009	1	3	30	54	12		2009	37	33	22	8	0
	2010	1	2	20	59	18		2010					
Nov 8[1]	2006	3	9	38	45	5	May 16	2006	40	32	22	6	0
	2007	11	15	31	32	11		2007	2	7	18	52	21
	2008	8	16	36	36	4		2008	7	11	28	44	10
	2009	0	3	31	55	11		2009	32	32	27	9	0
	2010	1	2	20	54	23		2010					
Nov 15[1]	2006	4	11	39	43	3	May 23	2006	36	35	23	6	0
	2007	10	11	34	35	10		2007	3	6	21	50	20
	2008	9	13	40	36	2		2008	8	10	26	48	8
	2009	0	5	32	51	12		2009	31	32	28	8	1
	2010	1	1	21	51	26		2010					
Nov 22[1]	2006	5	12	42	39	2	May 30	2006	37	32	26	5	0
	2007	10	14	34	32	10		2007	2	7	22	48	21
	2008	13	17	36	31	3		2008	8	9	28	45	10
	2009	1	5	31	51	12		2009	34	29	28	9	0
	2010	0	1	19	49	31		2010					
Apr 4	2006	29	33	27	11	0	Jun 6	2006	35	31	25	9	0
	2007	2	6	18	49	25		2007	7	10	23	45	15
	2008	8	13	30	43	6		2008	8	10	27	44	11
	2009	15	21	39	22	3		2009	30	34	27	9	0
	2010	1	4	26	60	9		2010					
Apr 11	2006	31	31	27	11	0	Jun 13	2006	35	32	25	8	0
	2007	2	5	20	50	23		2007	9	17	30	38	6
	2008	7	12	30	43	8		2008	9	11	26	43	11
	2009	16	21	38	24	1		2009	33	31	27	9	0
	2010	1	3	25	61	10		2010					
Apr 18	2006	32	35	28	5	0	Jun 20	2006	35	32	25	8	0
	2007	3	6	17	51	23		2007	11	18	32	33	6
	2008	7	11	26	48	8		2008	6	8	24	47	15
	2009	22	28	34	14	2		2009	32	33	26	9	0
	2010	1	3	22	60	14		2010					
Apr 25	2006	34	38	23	5	0	Jun 27	2006	35	32	25	8	0
	2007	2	6	17	51	24		2007	13	25	33	23	6
	2008	7	10	28	46	9		2008	8	10	22	42	18
	2009	30	30	28	12	0		2009	33	32	25	10	0
	2010	1	4	20	59	16		2010					

[1] October thru November is previous year's seeding for current year crop.

All Wheat Acres, Yield and Production, by County, Oklahoma, 2009[1]

District and County	Planted for All Purposes	Irrigated			Non-Irrigated			Total		
		Harvested for Grain	Yield per Acre	Production	Harvested for Grain	Yield per Acre	Production	Harvested for Grain	Yield per Acre	Production
	Acres	*Acres*	*Bushels*	*Bushels*	*Acres*	*Bushels*	*Bushels*	*Acres*	*Bushels*	*Bushels*
Panhandle										
Ellis	65,000		(D)	(D)	(D)	(D)	(D)	35,000	18.0	625,000
Harper	100,000	(D)	(D)	(D)	(D)	(D)	(D)	70,000	29.5	2,060,000
Texas	250,000	(D)	(D)	(D)	(D)	(D)	(D)	215,000	32.0	6,865,000
Other Counties	340,000	110,000	48.0	5,300,000	450,000	22.0	10,000,000	240,000	24.0	5,750,000
Total	**755,000**	**110,000**	**48.0**	**5,300,000**	**450,000**	**22.0**	**10,000,000**	**560,000**	**27.5**	**15,300,000**
West Central										
Beckham	70,000	(D)	(D)	(D)	(D)	(D)	(D)	30,000	23.0	690,000
Blaine	205,000	(D)	(D)	(D)	(D)	(D)	(D)	125,000	17.5	2,200,000
Custer	200,000	(D)	(D)	(D)	(D)	(D)	(D)	145,000	20.0	2,875,000
Dewey	125,000	(D)	(D)	(D)	(D)	(D)	(D)	70,000	20.0	1,410,000
Roger Mills	60,000	(D)	(D)	(D)	(D)	(D)	(D)	35,000	19.0	670,000
Washita	265,000	(D)	(D)	(D)	(D)	(D)	(D)	125,000	18.0	2,255,000
Total	**925,000**							**530,000**	**19.0**	**10,100,000**
Southwest										
Caddo	210,000	(D)	(D)	(D)	(D)	(D)	(D)	100,000	16.0	1,605,000
Comanche	85,000	(D)	(D)	(D)	(D)	(D)	(D)	25,000	9.5	235,000
Cotton	165,000	(D)	(D)	(D)	(D)	(D)	(D)	50,000	6.5	330,000
Jackson	225,000	(D)	(D)	(D)	(D)	(D)	(D)	80,000	15.5	1,255,000
Kiowa	265,000	(D)	(D)	(D)	(D)	(D)	(D)	180,000	15.5	2,815,000
Tillman	210,000	(D)	(D)	(D)	(D)	(D)	(D)	70,000	11.5	820,000
Other Counties	175,000	(D)	(D)	(D)	(D)	(D)	(D)	60,000	18.0	1,090,000
Total	**1,335,000**							**565,000**	**14.5**	**8,150,000**
North Central										
Alfalfa	235,000	(D)	(D)	(D)	(D)	(D)	(D)	180,000	30.0	5,425,000
Garfield	325,000	(D)	(D)	(D)	(D)	(D)	(D)	275,000	25.5	7,055,000
Grant	305,000	(D)	(D)	(D)	(D)	(D)	(D)	270,000	25.0	6,715,000
Kay	190,000	(D)	(D)	(D)	(D)	(D)	(D)	165,000	23.0	3,755,000
Major	135,000	(D)	(D)	(D)	(D)	(D)	(D)	90,000	22.5	2,040,000
Noble	130,000	(D)	(D)	(D)	(D)	(D)	(D)	100,000	19.0	1,905,000
Woods	205,000	(D)	(D)	(D)	(D)	(D)	(D)	160,000	30.0	4,800,000
Woodward	100,000	(D)	(D)	(D)	(D)	(D)	(D)	50,000	19.0	955,000
Other Counties	-	4,000	37.5	150,000	1,286,000	25.5	32,500,000	-	-	-
Total	**1,625,000**	**4,000**	**37.5**	**150,000**	**1,286,000**	**25.5**	**32,500,000**	**1,290,000**	**25.5**	**32,650,000**
Central										
Canadian	200,000	(D)	(D)	(D)	(D)	(D)	(D)	140,000	18.0	2,515,000
Grady	100,000	(D)	(D)	(D)	(D)	(D)	(D)	50,000	13.5	675,000
Kingfisher	225,000	(D)	(D)	(D)	(D)	(D)	(D)	150,000	20.5	3,110,000
Logan	70,000	(D)	(D)	(D)	(D)	(D)	(D)	35,000	24.5	855,000
McClain	32,000	(D)	(D)	(D)	(D)	(D)	(D)	15,000	12.5	190,000
Pottawatomie	12,000	(D)	(D)	(D)	(D)	(D)	(D)	7,000	15.5	110,000
Other Counties	61,000	2,000	50.0	100,000	418,000	18.5	7,800,000	23,000	19.5	445,000
Total	**700,000**	**2,000**	**50.0**	**100,000**	**418,000**	**18.5**	**7,800,000**	**420,000**	**19.0**	**7,900,000**

All Wheat Acres, Yield and Production, by County, Oklahoma, 2009[1]

District and County	Planted for All Purposes	Irrigated			Non-Irrigated			Total		
		Harvested for Grain	Yield per Acre	Production	Harvested for Grain	Yield per Acre	Production	Harvested for Grain	Yield per Acre	Production
	Acres	*Acres*	*Bushels*	*Bushels*	*Acres*	*Bushels*	*Bushels*	*Acres*	*Bushels*	*Bushels*
South Central										
Other Counties	195,000	(D)	(D)	(D)	(D)	(D)	(D)	40,000	19.0	750,000
Total	**195,000**							**40,000**	**19.0**	**750,000**
Northeast										
Craig	9,000	(D)	(D)	(D)	(D)	(D)	(D)	8,050	24.0	195,000
Delaware	2,000	(D)	(D)	(D)	(D)	(D)	(D)	1,400	21.5	30,000
Mayes	6,000	(D)	(D)	(D)	(D)	(D)	(D)	4,200	19.0	80,000
Rogers	5,000	(D)	(D)	(D)	(D)	(D)	(D)	2,700	15.0	40,000
Wagoner	15,000	(D)	(D)	(D)	(D)	(D)	(D)	10,000	23.5	235,000
Washington	10,000	(D)	(D)	(D)	(D)	(D)	(D)	7,000	16.5	115,000
Other Counties	68,000	(D)	(D)	(D)	(D)	(D)	(D)	31,650	16.0	505,000
Total	**115,000**							**65,000**	**18.5**	**1,200,000**
East Central										
Muskogee	9,200	(D)	(D)	(D)	(D)	(D)	(D)	5,600	28.5	160,000
Okmulgee	3,500	(D)	(D)	(D)	(D)	(D)	(D)	1,500	16.5	25,000
Sequoyah	4,900	(D)	(D)	(D)	(D)	(D)	(D)	4,000	37.5	150,000
Other Counties	12,400	(D)	(D)	(D)	(D)	(D)	(D)	3,900	22.0	85,000
Total	**30,000**							**15,000**	**28.0**	**420,000**
Southeast										
Other Counties	20,000	(D)	(D)	(D)	(D)	(D)	(D)	15,000	35.5	530,000
Total	**20,000**							**15,000**	**35.5**	**530,000**
Other Districts										
Other Counties	-	39,000	29.5	1,150,000	1,191,000	17.0	20,000,000	-	-	-
Total	**-**	**39,000**	**29.5**	**1,150,000**	**1,191,000**	**17.0**	**20,000,000**	**-**	**-**	**-**
State Total	**5,700,000**	**155,000**	**43.0**	**6,700,000**	**3,345,000**	**21.0**	**70,300,000**	**3,500,000**	**22.0**	**77,000,000**

[1] In keeping with NASS policy, only those counties and/or districts are published where sufficient reports were received. Counties with less than 500 total planted acres or 300 total harvested acres are combined under Other Counties. Counties with less than 1,000 irrigated planted acres are combined under Other Counties.
[D] Irrigated and non-irrigated not published to prevent disclosure.

All Wheat Production, Oklahoma, 2009



Endurance Replaces Jagger as Top Wheat Variety

After several years of increasing its share of Oklahoma's wheat acres, Endurance is now the number one wheat variety in Oklahoma. Jagger is now the second most common variety after twelve years at the top spot. This survey was conducted by the USDA-NASS Oklahoma Field Office and funded by the Oklahoma Wheat Commission in cooperation with the Department of Plant and Soil Sciences at Oklahoma State University. Results were based on reports from Oklahoma wheat growers.

Wheat Varieties: Percentage of Seeded Acres, Oklahoma, 2006-2010

Variety	2006	2007	2008	2009	2010
	Percent	*Percent*	*Percent*	*Percent*	*Percent*
Hard Winter					
Endurance	0.6	2.1	11.0	15.5	19.1
Jagger	38.2	40.8	34.4	26.1	15.4
Duster	-	*	0.3	1.4	7.6
OK Bullet	-	0.5	2.3	6.3	7.5
Fuller	-	-	*	1.2	6.4
Overley	1.4	4.8	10.2	9.2	5.0
Jagalene	15.9	16.8	7.6	5.1	2.2
TAM 111	-	0.5	1.5	1.6	1.4
TAM 110	0.8	0.9	0.5	1.1	1.4
2174	9.6	5.1	4.3	2.9	1.4
Santa Fe	-	0.3	0.7	1.2	1.3
Deliver	-	*	0.4	0.7	1.3
TAM 112	-	-	0.4	0.4	1.1
Fannin	-	0.4	1.3	1.2	1.0
Cutter	2.2	2.9	1.8	1.3	0.8
PostRock	-	-	-	*	0.8
Big Max	0.7	1.1	0.9	0.3	0.6
Doans	-	-	-	0.2	0.6
TAM 203	-	-	-	*	0.5
Jackpot	-	-	-	*	0.5
Shocker	-	-	*	0.3	0.5
2158	0.7	0.5	0.6	0.3	0.4
HG-9	0.3	0.5	*	0.4	0.4
Chisholm	0.8	0.6	0.4	0.5	0.4
Custer	1.8	1.3	1.2	0.8	0.3
2137	2.4	1.2	0.9	1.3	0.3
Ok101	1.7	1.2	0.9	0.3	0.3
Hard Winter (continued)					
Centerfield	-	-	*	*	0.2
Okfield	-	-	-	*	0.2
Karl 92	0.2	0.2	0.5	*	0.2
Longhorn	1.3	0.6	0.9	0.5	*
Thunderbolt	*	*	*	*	*
Winterhawk	-	-	-	-	*
Armour	-	-	-	-	*
T136	-	-	-	-	*
TAM 301	-	-	-	-	*
Big Dawg	*	*	-	-	*
Scout 66	0.6	*	*	0.2	*
Ogallala	0.2	0.2	0.2	*	*
Elevator Run	0.7	0.3	0.2	*	*
Other Hard Red [1]	6.9	6.3	3.5	5.6	2.3
Other Hard White [2]	0.2	*	0.2	*	*
Unknown Hard	5.0	4.8	5.6	5.1	8.2
Total Hard	**93.5**	**95.2**	**93.7**	**91.9**	**89.6**
Soft Winter					
Coker 9134	*	0.2	0.3	0.2	*
All Other Soft [3]	1.4	0.3	0.3	0.1	0.5
Unknown Soft	0.5	1.1	0.7	0.6	0.4
Total Soft	**1.9**	**1.6**	**1.3**	**0.9**	**0.9**
Unknown	**4.6**	**3.2**	**5.0**	**7.2**	**9.5**

* Less than 0.2 percent.

[1] All other hard red varieties in 2010 include, 2157, 2163, 2180, AGSECO 7853, Art, Billings, Coronado, Dumas, Everest, Keota, Ok102, Onaga, Osage, Protection CL, Ranger, Sturdy 2K, T81, TAM 107, TAM 304, TAM 401, Tonkawa and Triumph 64.

[2] All other hard white varieties.

[3] All other soft varieties in 2010 include Delta King 9577 and Mason.

Winter Wheat Seeded Acres, by District, Oklahoma, Crop Year 2010

Panhandle	West Central	Southwest	North Central	Central	South Central	Other Districts	State
1,000 Acres	*1,000 Acres*	*1,000 Acres*	*1,000 Acres*	*1,000 Acres*	*1,000 Acres*	*1,000 Acres*	*1,000 Acres*
670	770	1,320	1,350	750	150	190	5,200

Wheat Variety, by District, Oklahoma, Crop Year 2010

Variety	Panhandle	West Central	Southwest	North Central	Central	South Central	Other Districts	State
	Percent	*Percent*	*Percent*	*Percent*	*Percent*	*Percent*	*Percent*	*Percent*
Hard Winter								
Endurance	13.5	19.4	15.9	25.0	23.5	8.1	11.4	19.1
Jagger	11.1	23.3	30.6	6.1	6.4	0.0	2.7	15.4
Duster	2.6	4.7	2.8	12.1	19.2	3.8	6.2	7.6
OK Bullet	8.7	6.6	9.7	8.0	3.1	0.0	0.0	7.5
Fuller	0.0	6.6	8.4	9.0	6.1	0.0	0.0	6.4
Overley	0.0	6.1	5.7	7.0	4.9	0.0	1.2	5.0
Jagalene	8.3	3.2	0.7	0.9	0.2	0.0	0.2	2.2
TAM 111	8.9	0.1	0.0	0.0	0.0	0.0	0.0	1.4
TAM 110	10.0	0.2	0.0	0.0	0.0	0.0	0.0	1.4
2174	0.0	0.4	3.1	1.5	1.9	0.0	0.9	1.4
Santa Fe	0.0	0.8	0.1	4.1	0.2	0.0	1.9	1.3
Deliver	0.0	0.4	3.2	1.4	0.3	0.0	0.0	1.3
TAM 112	6.4	0.6	0.0	0.2	0.0	0.0	0.0	1.1
Fannin	0.0	4.6	1.0	0.2	0.3	0.0	0.0	1.0
Cutter	0.0	3.7	1.3	0.5	0.0	0.0	0.0	0.8
PostRock	1.5	0.0	0.3	1.4	0.0	0.0	4.3	0.8
Big Max	0.6	0.0	0.0	0.5	2.6	0.0	0.0	0.6
Doans	0.4	1.8	0.0	0.9	0.4	0.0	0.4	0.6
TAM 203	2.5	0.0	0.0	0.2	0.5	0.0	0.0	0.5
Jackpot	0.0	1.0	0.6	0.9	0.2	0.0	0.0	0.5
Shocker	0.0	0.7	0.0	1.3	0.0	0.0	0.0	0.5
2158	0.0	0.0	1.6	0.0	0.1	0.0	0.0	0.4
HG-9	0.0	0.0	0.2	0.0	0.0	17.4	0.0	0.4
Chisholm	0.6	0.1	0.7	0.3	0.0	0.0	1.4	0.4
Custer	0.1	0.8	0.3	0.6	0.1	0.0	0.0	0.3
2137	0.6	0.6	0.0	0.3	0.0	0.0	0.4	0.3
Ok101	0.1	0.0	0.0	1.0	0.1	0.0	0.0	0.3
Centerfield	0.1	0.6	0.0	0.2	0.2	0.0	0.0	0.2
Okfield	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.2
Karl 92	0.0	0.7	0.0	0.0	0.3	0.0	0.0	0.2
All Other Hard	17.1	8.0	7.6	8.4	8.4	33.0	30.9	10.5
Soft Winter								
All Other Soft	0.3	0.0	0.5	0.0	0.2	4.6	19.6	0.9
Unknown	6.6	5.0	5.7	7.4	20.8	33.1	18.5	9.5

Top Three Wheat Varieties, by Percent, by district, Oklahoma, Crop Year 2010



Wheat Acreage, Yield, Production, Price, and Value, Oklahoma, 1990-2010 and Historic

Crop Year	Planted for All Purposes	Harvested for Grain	Yield per Acre	Production	Price per Bushel	Value of Production	Value per Harvested Acre
	1,000 Acres	*1,000 Acres*	*Bushels*	*1,000 Bushels*	*Dollars*	*1,000 Dollars*	*Dollars*
1960	4,887	4,665	26	121,290	1.75	212,258	46.00
1965	5,321	4,747	28	132,916	1.36	180,766	38.00
1970	5,025	3,900	26	101,400	1.33	134,862	35.00
1975	7,400	6,700	24	160,800	3.43	551,544	82.00
1980	7,500	6,500	30	195,000	3.88	756,600	116.00
1985	7,800	5,500	30	165,000	2.91	480,150	87.00
1990	7,400	6,200	32	198,400	2.57	509,888	82.00
1991	7,400	5,000	27	135,000	2.85	384,750	77.00
1992	7,300	5,900	29	168,150	3.19	536,399	91.00
1993	7,100	5,400	29	156,600	2.94	460,404	85.00
1994	7,000	5,300	27	143,100	3.41	487,971	92.00
1995	6,800	5,200	21	109,200	4.41	481,572	93.00
1996	6,800	4,900	19	93,100	4.73	440,363	90.00
1997	6,700	5,300	32	169,600	3.21	544,416	103.00
1998	6,600	5,100	39	198,900	2.57	511,173	100.00
1999	6,400	4,300	35	150,500	2.24	337,120	78.00
2000	6,100	4,200	34	142,800	2.57	366,996	87.00
2001	5,600	3,700	33	122,100	2.74	334,554	90.00
2002	6,200	3,700	28	103,600	3.37	349,132	94.00
2003	6,700	4,600	39	179,400	3.31	593,814	129.00
2004	6,200	4,700	35	164,500	3.32	546,140	116.00
2005	5,700	4,000	32	128,000	3.39	433,920	108.00
2006	5,700	3,400	24	81,600	4.70	383,520	113.00
2007	5,900	3,500	28	98,000	6.22	609,560	174.00
2008	5,600	4,500	37	166,500	6.93	1,153,845	256.00
2009	5,700	3,500	22	77,000	4.80	369,600	106.00
2010	5,200						

Wheat Estimating Program for Oklahoma, Crop Years 2009-2010

Crop Year 2010 Release Dates	Title of Report	**Winter Wheat**					
		Planted Acreage		Harvested Acreage		Yield	
		2009	2010	2009	2010	2009	2010
12 Jan 10	Winter Wheat Seedings	5,700,000	5,200,000				
29 Apr 10	Wheat Variety Report[1]						
31 Mar 10	Prospective Plantings	5,700,000	5,200,000				
11 May 10	Crop Production	5,800,000		3,500,000		23.0	
10 Jun 10	Crop Production	5,800,000		3,500,000		21.0	
30 Jun 10	Acreage Report	5,900,000		3,600,000			
9 Jul 10	Crop Production	5,900,000		3,600,000		21.0	
12 Aug 10	Crop Production	5,900,000		3,600,000		22.0	
30 Sep 10	Small Grains Annual	5,700,000		3,500,000		22.0	
12 Jan 11[2]	Crop Production Annual Summary	5,700,000		3,500,000		22.0	
19 Feb 11[2]	Wheat County Estimates[3]	5,700,000		3,500,000		22.0	

Estimate not made for shaded areas. Unless noted, all estimates are at the State level.
[1] Estimates made by variety for State and Districts.
[2] Tentative date.
[3] State and County level estimates.